CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG    888888       11       222222
GG         88    88     111      22    22
GG         88    88      11          222
GG  GGGG    888888       11        222
GG    GG   88    88      11       22
GG    GG   88    88      11       22
 GGGGGG    888888    11111111   22222222
```

```
 CCCCCC
CC
CC
CC
CC
 CCCCCC
```

CROSSTABS

AGECON BY GENSEX

BY DCON

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JBXC

77/03/28. 16.11.36.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=AGECON(0,99)/GENSER(1,7)/DCON(1,7)/TABLES=AGECON BY
               GENSER BY DCON
STATISTICS     ALL
READ INPUT DATA

053700 CM NEEDED FOR CROSSTABS
```

DATA DOCUMENTS/INC_SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/03/28. PAGE 5

FILE PARIS (CREATION DATE = 77/03/28.)

* CROSSTABULATION OF *

AGECON BY GENSER

CONTROLLING FOR.. DCON

VALUE.. 2 → 1590-1599

* PAGE 1 OF 2

AGECON	COUNT / ROW PCT / COL PCT / TOT PCT	GENSER 1 FIRST OF FAMILY	2 ONE GGN.	3 TWO GGN	4 THREE GGN	ROW TOTAL
22		0	1	0	0	1
		0	100.0	0	0	4.0
		0	6.3	0	0	
		0	4.0	0	0	
24		1	2	1	0	4
		25.0	50.0	25.0	0	16.0
		16.7	12.5	50.0	0	
		4.0	8.0	4.0	0	
25		1	3	0	0	4
		25.0	75.0	0	0	16.0
		16.7	18.8	0	0	
		4.0	12.0	0	0	
26		0	3	0	0	3
		0	100.0	0	0	12.0
		0	18.8	0	0	
		0	12.0	0	0	
27		1	2	1	0	4
		25.0	50.0	25.0	0	16.0
		16.7	12.5	50.0	0	
		4.0	8.0	4.0	0	
28		0	1	0	0	1
		0	100.0	0	0	4.0
		0	6.3	0	0	
		0	4.0	0	0	
29		2	1	0	0	3
		66.7	33.3	0	0	12.0
		33.3	6.3	0	0	
		8.0	4.0	0	0	
30		0	3	0	0	3
		0	100.0	0	0	12.0
		0	18.8	0	0	
		0	12.0	0	0	
COLUMN TOTAL		6 24.0	16 64.0	2 8.0	1 4.0	25 100.0

(CONTINUED)

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF *

AGECON BY GENSER

CONTROLLING FOR..

DCON VALUE.. 2

* * * * * * * * * * * * * * * * * * * \

TRIAL RUN FOR THE PARLEMENT 77/03/28. PAGE 7

FILE PARIS (CREATION DATE = 77/03/28.)

* CROSSTABULATION OF *

AGECON BY GENSER

CONTROLLING FOR.. DCON VALUE.. 3 → 1600-1609

* PAGE 1 OF 2

AGECON	GENSER: FIRST OF FAMILY (1)	ONE GEN (2)	TWO GEN (3)	THREE GEN (4)	FOUR GEN (5)	ROW TOTAL
17	0	1	0	0	0	1
	0	100.0	0	0	0	2.5
	0	6.7	0	0	0	
	0	2.5	0	0	0	
19	1	1	0	0	0	2
	50.0	50.0	0	0	0	5.0
	6.3	6.7	0	0	0	
	2.5	2.5	0	0	0	
21	1	1	0	0	0	2
	50.0	50.0	0	0	0	5.0
	6.3	6.7	0	0	0	
	2.5	2.5	0	0	0	
22	0	1	2	0	0	3
	0	33.3	66.7	0	0	7.5
	0	6.7	33.3	0	0	
	0	2.5	5.0	0	0	
23	1	1	1	1	0	4
	25.0	25.0	25.0	25.0	0	10.0
	6.3	6.7	16.7	50.0	0	
	2.5	2.5	2.5	2.5	0	
24	2	2	0	1	0	5
	40.0	40.0	0	20.0	0	12.5
	12.5	13.3	0	50.0	0	
	5.0	5.0	0	2.5	0	
25	2	1	1	0	1	5
	40.0	20.0	20.0	0	20.0	12.5
	12.5	6.7	16.7	0	100.0	
	5.0	2.5	2.5	0	2.5	
26	2	3	0	0	0	5
	40.0	60.0	0	0	0	12.5
	12.5	20.0	0	0	0	
	5.0	7.5	0	0	0	
COLUMN	16	15	6	2	1	40
TOTAL	40.0	37.5	15.0	5.0	2.5	100.0

(CONTINUED)

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF *

AGECON BY GENSER

CONTROLLING FOR.. DCON VALUE.. 3

* * * * * * * * * * * * * * * * * * * \

CRAMER≠S V = .51476
CONTINGENCY COEFFICIENT = .71732
LAMBDA (ASYMMETRIC) = .11429 WITH AGECON DEPENDENT. = .29167 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .18644
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .18978 WITH AGECON DEPENDENT. = .39065 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .25545
KENDALL≠S TAU B = -.17353. SIGNIFICANCE = .0862
KENDALL≠S TAU C = -.17031. SIGNIFICANCE = .0862
CONDITIONAL GAMMA = -.21756
SOMERS≠S D (ASYMMETRIC) = -.20223 WITH AGECON DEPENDENT. = -.14891 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.17152
ETA = .32534 WITH AGECON DEPENDENT.
ETA = .51727 WITH GENSER DEPENDENT.

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/28.)

* CROSSTABULATION OF *

AGECON BY GENSER

CONTROLLING FOR.. DCON VALUE.. 4 → 1610 - 1619

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* CROSSTABULATION OF *

AGECON BY GENSER

CONTROLLING FOR.. DCON VALUE.. 4

* * * * * * * * * * * * * * * * * * * \

ETA = .41684 WITH AGECON DEPENDENT.
ETA = .84528 WITH GENSER DEPENDENT.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/03/28. PAGE 13

FILE PARIS (CREATION DATE = 77/03/28.)

* CROSSTABULATION OF *

AGECON BY GENSER

CONTROLLING FOR.. VALUE.. 5 → 1620-1629

DCON

* PAGE 1 OF 2

AGECON	COUNT / ROW PCT / COL PCT / TOT PCT	GENSER 1 FIRST OF FAMILY	2 ONE GEN	3 TWO GEN	4 THREE GEN	ROW TOTAL
18		0	1	0	0	1
		0	100.0	0	0	2.0
		0	4.3	0	0	
		0	2.0	0	0	
19		1	1	0	0	2
		50.0	50.0	0	0	4.1
		5.6	4.3	0	0	
		2.0	2.0	0	0	
20		1	1	1	0	3
		33.3	33.3	33.3	0	6.1
		5.6	4.3	16.7	0	
		2.0	2.0	2.0	0	
21		1	3	0	0	4
		25.0	75.0	0	0	8.2
		5.6	13.0	0	0	
		2.0	6.1	0	0	
22		2	2	0	0	4
		50.0	50.0	0	0	8.2
		11.1	8.7	0	0	
		4.1	4.1	0	0	
23		6	3	1	1	11
		54.5	27.3	9.1	9.1	22.4
		33.3	13.0	16.7	50.0	
		12.2	6.1	2.0	2.0	
24		0	4	3	0	7
		0	57.1	42.9	0	14.3
		0	17.4	50.0	0	
		0	8.2	6.1	0	
25		0	1	1	1	3
		0	33.3	33.3	33.3	6.1
		0	4.3	16.7	50.0	
		0	2.0	2.0	2.0	
COLUMN TOTAL		18 36.7	23 46.9	6 12.2	2 4.1	49 100.0

(CONTINUED)

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/28.)

* CROSSTABULATION OF *

AGECON BY GENSER

CONTROLLING FOR..

DCON VALUE.. 5

* * * * * * * * * * * * * * * * * * * \

ETA = .09405 WITH AGECON DEPENDENT.
ETA = .60220 WITH GENSER DEPENDENT.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

AGECON BY GENSER

CONTROLLING FOR.. DCON VALUE.. 6 → 1630-1639

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* C R O S S T A B U L A T I O N O F *

AGECON BY GENSER

CONTROLLING FOR.. DCON

VALUE.. 6 1630-1639

* * * * * * * * * * * * * * * * * * * \

CRAMER≠S V = .47802
CONTINGENCY COEFFICIENT = .73024
LAMBDA (ASYMMETRIC) = .12963 WITH AGECON DEPENDENT. = .31429 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .20225
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .16720 WITH AGECON DEPENDENT. = .32965 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .22187
KENDALL≠S TAU B = -.28676. SIGNIFICANCE = .0020
KENDALL≠S TAU C = -.26585. SIGNIFICANCE = .0020
CONDITIONAL GAMMA = -.36449
SOMERS≠S D (ASYMMETRIC) = -.33524 WITH AGECON DEPENDENT. = -.24528 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.28329
ETA = .41160 WITH AGECON DEPENDENT.
ETA = .47254 WITH GENSER DEPENDENT.

DATA DOCUMENTS, INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/03/28. PAGE 19

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

AGECON BY GENSER

CONTROLLING FOR.. DCON VALUE.. 7 → 1640-1650

* PAGE 1 OF 3

AGECON	GENSER: FIRST OF FAMILY (1)	ONE GEN (2)	TWO GEN (3)	THREE GEN (4)	FOUR GEN (5)	SLK GEN (7)	ROW TOTAL
19	0	0	1	0	0	1	2
	0	0	50.0	0	0	50.0	2.6
	0	0	10.0	0	0	100.0	
	0	0	1.3	0	0	1.3	
20	1	0	0	1	0	0	2
	50.0	0	0	50.0	0	0	2.6
	2.9	0	0	16.7	0	0	
	1.3	0	0	1.3	0	0	
21	0	2	0	0	0	0	2
	0	100.0	0	0	0	0	2.6
	0	9.5	0	0	0	0	
	0	2.6	0	0	0	0	
22	1	2	2	0	1	0	6
	16.7	33.3	33.3	0	16.7	0	7.9
	2.9	9.5	20.0	0	33.3	0	
	1.3	2.6	2.6	0	1.3	0	
23	1	1	0	2	0	0	4
	25.0	25.0	0	50.0	0	0	5.3
	2.9	4.8	0	33.3	0	0	
	1.3	1.3	0	2.6	0	0	
24	3	0	0	1	0	0	4
	75.0	0	0	25.0	0	0	5.3
	8.6	0	0	16.7	0	0	
	3.9	0	0	1.3	0	0	
25	13	6	1	0	0	0	20
	65.0	30.0	5.0	0	0	0	26.3
	37.1	28.6	10.0	0	0	0	
	17.1	7.9	1.3	0	0	0	
26	7	4	1	0	2	0	14
	50.0	28.6	7.1	0	14.3	0	18.4
	20.0	19.0	10.0	0	66.7	0	
	9.2	5.3	1.3	0	2.6	0	
COLUMN	35	21	10	6	3	1	76
TOTAL	46.1	27.6	13.2	7.9	3.9	1.3	100.0

(CONTINUED)

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/28.)

* CROSSTABULATION OF *

AGECON BY GENSER

CONTROLLING FOR.. DCON VALUE.. 7

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* C R O S S T A B U L A T I O N O F *

AGECON BY GENSER

CONTROLLING FOR..

DCON VALUE.. 7

* * * * * * * * * * * * * * * * * * * \